

## SURVEY 3 - Female Infertility Survey

**Total**  
**1,279**  
Number

## 1. What percentage of women in your practice approach you for infertility related issues?

Choices	Percentage	Count
<b>11 to 15%</b>	41.67%	533
<b>6 to10%</b>	16.34%	209
<b>16 to 30%</b>	15.01%	192
<b>&gt;30%</b>	12.74%	163
<b>&lt;5 %</b>	2.74%	35
<b>Total</b>		<b>1279</b>

## 2. What is the most common age group when women approach for infertility related issues.

Choices	Percentage	Count
<b>26-30 years</b>	46.83%	599
<b>31-35 years</b>	43.86%	561
<b>36-40 years</b>	6.96%	89
<b>21-25 years</b>	1.88%	24
<b>&gt;40 years</b>	0.39%	5
<b>Total</b>		<b>1279</b>

## 3. What is the most common cause of infertility in women?

Choices	Percentage	Count
<b>PCOS</b>	64.97%	831
<b>Poor ovarian reserve</b>	12.74%	163
<b>Endometriosis</b>	8.52%	109
<b>Unexplained</b>	6.80%	87
<b>Tubal factor</b>	6.02%	77
<b>Uterine factor</b>	0.86%	11
<b>Others</b>	0.08%	1
<b>Total</b>		<b>1279</b>

## 4. What is the prevalence of tubal factor in your female patients with infertility

Choices	Percentage	Count
<b>6-10%</b>	46.29%	592
<b>11-20%</b>	33.85%	433
<b>Total</b>		<b>1279</b>

Choices	Percentage	Count
<5 %	<input type="text" value="9.30%"/> 9.30%	119
21-30%	<input type="text" value="6.49%"/> 6.49%	83
>30%	<input type="text" value="1.02%"/> 1.02%	13
<b>Total</b>		<b>1279</b>

## 5. What is the prevalence of TB amongst women who approach for treatment of infertility?

Choices	Percentage	Count
10-20%	<input type="text" value="35.42%"/> 35.42%	453
5-10%	<input type="text" value="25.10%"/> 25.10%	321
<5 %	<input type="text" value="17.90%"/> 17.90%	229
20-30%	<input type="text" value="15.72%"/> 15.72%	201
30-40%	<input type="text" value="2.97%"/> 2.97%	38
>40%	<input type="text" value="0.39%"/> 0.39%	5
<b>Total</b>		<b>1279</b>

## 6. How do you screen your patients for TB?

Choices	Percentage	Count
<b>TB Gene expert</b>	<input type="text" value="37.38%"/> 37.38%	477
<b>Endometrial biopsy- AFB culture &amp; sensitivity</b>	<input type="text" value="31.19%"/> 31.19%	398
<b>TB PCR</b>	<input type="text" value="14.73%"/> 14.73%	188
<b>TB Bactec TEST</b>	<input type="text" value="9.64%"/> 9.64%	123
<b>Don't routinely screen my patients for TB</b>	<input type="text" value="5.56%"/> 5.56%	71
<b>On laparoscopy appearance</b>	<input type="text" value="1.49%"/> 1.49%	19
<b>Total</b>		<b>1276</b>
<i>Unanswered</i>		<i>3</i>

## 7. What is the preferred ovulation induction drug you would use in your IUI cycles

Choices	Percentage	Count
<b>Oral ovulogen with gonadotropins</b>	<input type="text" value="41.13%"/> 41.13%	526
<b>Letrozole</b>	<input type="text" value="30.10%"/> 30.10%	385
<b>Clomiphene citrate</b>	<input type="text" value="21.66%"/> 21.66%	277
<b>Gonadotropins</b>	<input type="text" value="6.41%"/> 6.41%	82
<b>Prefer natural cycle IUI</b>	<input type="text" value="0.70%"/> 0.70%	9
<b>Total</b>		<b>1279</b>

## 8. What is the prevalence of PCOS in infertile women?

Choices	Percentage	Count
11-20%	<input type="text" value="52.62%"/> 52.62%	673
<b>Total</b>		<b>1279</b>

Choices	Percentage	Count
<b>21-30%</b>	<input type="text" value="28.62%"/> 28.62%	366
<b>5-10%</b>	<input type="text" value="13.29%"/> 13.29%	170
<b>&gt;30%</b>	<input type="text" value="4.61%"/> 4.61%	59
<b>Total</b>		<b>1279</b>

## 9. What is your preferred method of tracking ovulation?

Choices	Percentage	Count
<b>Ultrasound</b>	<input type="text" value="74.75%"/> 74.75%	956
<b>Serum progesterone in luteal phase</b>	<input type="text" value="14.46%"/> 14.46%	185
<b>LH kits</b>	<input type="text" value="9.23%"/> 9.23%	118
<b>Endometrial biopsy in luteal phase</b>	<input type="text" value="1.02%"/> 1.02%	13
<b>None of these</b>	<input type="text" value="0.55%"/> 0.55%	7
<b>Total</b>		<b>1279</b>

## 10. What would you advise your patient of endometriosis who has undergone laparoscopic cystectomy wi

Choices	Percentage	Count
<b>Controlled ovarian stimulation with IUI</b>	<input type="text" value="56.37%"/> 56.37%	721
<b>Natural cycle IUI</b>	<input type="text" value="24.24%"/> 24.24%	310
<b>Try natural conception</b>	<input type="text" value="8.37%"/> 8.37%	107
<b>GnRH agonists for 3 cycles followed by IUI</b>	<input type="text" value="7.51%"/> 7.51%	96
<b>IVF</b>	<input type="text" value="1.80%"/> 1.80%	23
<b>GnRH agonists for 3 cycles followed by IVF</b>	<input type="text" value="1.72%"/> 1.72%	22
<b>Total</b>		<b>1279</b>

## 11. Where do you practice?

Choices	Percentage	Count
<b>North India</b>	<input type="text" value="26.11%"/> 26.11%	334
<b>South India</b>	<input type="text" value="24.47%"/> 24.47%	313
<b>Central India</b>	<input type="text" value="23.22%"/> 23.22%	297
<b>East India</b>	<input type="text" value="13.21%"/> 13.21%	169
<b>West India</b>	<input type="text" value="12.98%"/> 12.98%	166
<b>Total</b>		<b>1279</b>