

SURVEY 4 - OVULATION INDUCTION

Total
1,159
Number

1. What is your primary drug for ovulation induction in non PCOS patients

Choices	Percentage	Count
Letrozole	63.16%	732
Clomiphene	24.07%	279
Gonadotropins	11.91%	138
Oral ovulogen combined with gonadotropins	0.60%	7
Any of the above	0.26%	3
Total		1159

2. What is the starting dose of clomiphene

Choices	Percentage	Count
100 mg	63.93%	741
50 mg	27.18%	315
More than 100 mg	8.63%	100
Do not use clomiphene	0.26%	3
Total		1159

3. What is the starting dose of letrozole

Choices	Percentage	Count
5 mg	62.04%	719
2.5 mg	27.78%	322
>5 mg	9.66%	112
Do not use letrozole	0.35%	4
mg	0.17%	2
Total		1159

4. What is the maximum dose of clomiphene used

Choices	Percentage	Count
100 mg	59.71%	692
150 mg	24.42%	283
50 mg	14.24%	165
200 mg	1.55%	18
>200 mg	0.09%	1
Total		1159

5. What is the maximum dose of letrozole used

Choices	Percentage	Count
5 mg	<input type="text" value="57.64%"/> 57.64%	668
2.5 mg	<input type="text" value="29.77%"/> 29.77%	345
10 mg	<input type="text" value="12.42%"/> 12.42%	144
>10 mg	<input type="text" value="0.17%"/> 0.17%	2
Total		1159

6. Do you routinely do a day 2 scan before each ovulation induction cycle?

Choices	Percentage	Count
Yes	<input type="text" value="66.87%"/> 66.87%	775
No	<input type="text" value="17.52%"/> 17.52%	203
Sometimes	<input type="text" value="13.03%"/> 13.03%	151
Only in first cycle	<input type="text" value="2.59%"/> 2.59%	30
Total		1159

7. Do you routinely monitor all ovulation induction cycles with an ultrasound?

Choices	Percentage	Count
Yes	<input type="text" value="75.24%"/> 75.24%	872
No	<input type="text" value="19.41%"/> 19.41%	225
First cycle only	<input type="text" value="5.00%"/> 5.00%	58
Not consistent	<input type="text" value="0.35%"/> 0.35%	4
Total		1159

8. Do you routinely use (HCG or agonist) trigger for rupture of follicles?

Choices	Percentage	Count
Sometimes	<input type="text" value="66.61%"/> 66.61%	772
Never	<input type="text" value="18.81%"/> 18.81%	218
Always	<input type="text" value="14.58%"/> 14.58%	169
Total		1159

9. Which trigger do you use?

Choices	Percentage	Count
GnRH Agonist trigger	<input type="text" value="43.57%"/> 43.57%	505
GnRH agonist trigger sometimes	<input type="text" value="38.91%"/> 38.91%	451
HCG	<input type="text" value="11.65%"/> 11.65%	135
Combined hCG and GnRH agonist	<input type="text" value="5.78%"/> 5.78%	67
Never use trigger	<input type="text" value="0.09%"/> 0.09%	1
Total		1159

10. At what follicle size do you give a hCG/GnRH agonist trigger in a clomiphene cycle? *

Choices	Percentage	Count
19-20 mm	<input type="text" value="50.04%"/> 50.04%	580
18 mm	<input type="text" value="24.76%"/> 24.76%	287
21-22 mm	<input type="text" value="23.47%"/> 23.47%	272
23-24 mm	<input type="text" value="1.64%"/> 1.64%	19
Do not give trigger	<input type="text" value="0.09%"/> 0.09%	1
Total		1159

11. What dose of hCG is given ?

Choices	Percentage	Count
10,000 IU	<input type="text" value="50.30%"/> 50.30%	583
r- HCG 250 mgm	<input type="text" value="27.87%"/> 27.87%	323
5000 IU	<input type="text" value="17.60%"/> 17.60%	204
r HCG – 500 mgm	<input type="text" value="4.14%"/> 4.14%	48
Do not give hCG	<input type="text" value="0.09%"/> 0.09%	1
Total		1159

12. What is the dose of GnRH agonist trigger given?

Choices	Percentage	Count
b) Lupride 2 mg	<input type="text" value="50.56%"/> 50.56%	586
c) Decapeptyl 0.1 mg	<input type="text" value="31.92%"/> 31.92%	370
a) Lupride 1 mg	<input type="text" value="12.17%"/> 12.17%	141
d) Decapeptyl 0.2 mg	<input type="text" value="5.09%"/> 5.09%	59
e) Do not give GnRH trigger	<input type="text" value="0.26%"/> 0.26%	3
Total		1159

13. Which gonadotropins do you use?

Choices	Percentage	Count
FSH	<input type="text" value="55.05%"/> 55.05%	638
Recombinant FSH	<input type="text" value="25.19%"/> 25.19%	292
HMG	<input type="text" value="19.50%"/> 19.50%	226
10 -50	<input type="text" value="0.26%"/> 0.26%	3
Total		1159

14. What is the starting dose of gonadotropin?

Choices	Percentage	Count
50 IU	<input type="text" value="56.95%"/> 56.95%	660
75 IU	<input type="text" value="25.97%"/> 25.97%	301
Total		1159

Choices	Percentage	Count
37.5 IU	<input type="text" value="15.36%"/> 15.36%	178
150 IU	<input type="text" value="1.47%"/> 1.47%	17
North India	<input type="text" value="0.17%"/> 0.17%	2
South India	<input type="text" value="0.09%"/> 0.09%	1
Total		1159

15. How do you give gonadotropin?

Choices	Percentage	Count
From day 2 Alternate day	<input type="text" value="63.49%"/> 63.49%	734
From Day 2 – daily	<input type="text" value="21.89%"/> 21.89%	253
As and when required	<input type="text" value="13.75%"/> 13.75%	159
Sequential with oral ovulogens	<input type="text" value="0.87%"/> 0.87%	10
Total		1156
<i>Unanswered</i>		<i>3</i>

16. How many patients do you see of infertility in one month?

Choices	Percentage	Count
51 -100	<input type="text" value="59.08%"/> 59.08%	683
10 -50	<input type="text" value="19.90%"/> 19.90%	230
101 – 200	<input type="text" value="19.90%"/> 19.90%	230
201- 500	<input type="text" value="1.12%"/> 1.12%	13
Total		1156
<i>Unanswered</i>		<i>3</i>

17. Where do you practice?

Choices	Percentage	Count
North India	<input type="text" value="68.77%"/> 68.77%	795
West India	<input type="text" value="15.83%"/> 15.83%	183
South India	<input type="text" value="11.51%"/> 11.51%	133
East India	<input type="text" value="3.37%"/> 3.37%	39
Central India	<input type="text" value="0.52%"/> 0.52%	6
Total		1156
<i>Unanswered</i>		<i>3</i>